

LIGJ
Nr. 99/2023

**PËR DISA SHTESA DHE NDRYSHIME NË LIGJIN NR. 7975, DATË 26.7.1995,
“PËR BARNAT NARKOTIKE DHE LËNDËT PSIKOTROPE”, TË NDRYSHUAR**
(ndryshuar me Aktin nr. 2294-1, datë 7.6.2024) ¹

(i përditësuar)

Në mbështetje të neneve 78 dhe 83, pika 1, të Kushtetutës, me propozimin e Këshillit të Ministrave,

KUVENDI
I REPUBLIKËS SË SHQIPËRISË

VENDOSI:

Në ligjin nr. 7975, datë 26.7.1995, “Për barnat narkotike dhe lëndët psikotrope”, të ndryshuar, bëhen këto shtesa dhe ndryshime:

Neni 1

Kudo në tekstin e ligjit emërtimet “ministri i Shëndetësisë dhe Mbrojtjes së Mjedisit” dhe “ministri i Shëndetësisë” zëvendësohen me fjalët “ministri përgjegjës për shëndetësinë”, emërtimi “ministri i Bujqësisë dhe Ushqimit” zëvendësohet me fjalët “ministri përgjegjës për bujqësinë” dhe emërtimi “ministri i Rendit Publik” zëvendësohet me fjalët “ministri përgjegjës për rendin dhe sigurinë publike”.

Neni 2

Në nenin 4 bëhen ndryshimi dhe shtesa e mëposhtme:

1. Paragrafi i fundit ndryshohet si më poshtë:

“Tabela II ndahet në dy grupe, A dhe B, sipas masave të kontrollit që zbatohen për to. Tabela III ndahet në tri grupe: A, B dhe C, sipas masave të kontrollit që zbatohen për to.”.

2. Në fund të nenit 4 shtohet paragraf i ri me këtë përmbajtje:

“Përfshirje nga rregulli për “Tabela I” bëhet për bimën e *cannabis*-it dhe nënproduktet e saj për të cilat zbatohen dispozitat ligjore në fuqi, sipas legjislacionit përkatës për kontrollin e kultivimit dhe përpunimit të bimës, si dhe prodhimit të nënprodukteve të saj për qëllime mjekësore dhe industriale.”.

Neni 3

Neni 9 ndryshohet si më poshtë:

“Neni 9

¹ Akti nr. 2294-1, datë 7.6.2024, i botuar në FZ. nr.96, datë 7.6.2024 “Korrigjim gabimi material” shprehet:

“Në ligjin nr. 99/2023, datë 14.12.2023, “Për disa shtesa dhe ndryshime në ligjin nr. 7975, datë 26.7.1995, Për barnat narkotike dhe lëndët psikotrope”, të ndryshuar”, botuar në Fletoren Zyrtare nr. 3, datë 5.1.2024, shtohet tabela II-Lista I (Konventa e 1961)...”

Në Republikën e Shqipërisë ndalohen kultivimi i hashashit (*Papaver somniferum*) për prodhimin e opiumit dhe të kashtës, kultivimi i bimës së kokës (*Erythroxylon coca*) për prodhimin e alkaloidëve e të lëndëve aromatike, si dhe kultivimi i të gjitha llojeve dhe varieteteve të bimëve të gjinisë *cannabis* për prodhimin e kanabisit, të rrëshirës dhe vajit.

Lejohet përjashtimisht përpunimi i bimës së *cannabis*-it dhe prodhimi i nënprodukteve të saj vetëm për qëllime mjekësore dhe industriale, sipas legjislacionit të posaçëm të miratuar për këtë qëllim.”.

Neni 4

Pas paragrafit të parë, të nenit 11, shtohet paragrafi i dytë me këtë përmbajtje:

“Përjashtim nga parashikimet e paragrafit të parë të këtij neni bëhet për bimën e *cannabis*-it dhe nënproduktet e saj për të cilat zbatohen dispozitat ligjore në fuqi, sipas legjislacionit përkatës për kontrollin e kultivimit dhe përpunimit të bimës së *cannabis*-it, dhe prodhimit të nënprodukteve të saj për qëllime mjekësore dhe industriale.”.

Neni 5

Në fjalinë e dytë të nenit 17 termi “ndihmësfarmacist” zëvendësohet me termin “farmacist”.

Neni 6

Neni 103 ndryshohet si më poshtë:

“Neni 103

Skema e klasifikimit dhe tabelat e barnave narkotike, lëndëve psikotrope dhe përgatesave të tyre janë sipas skemës dhe tabelave I, II dhe III, që i bashkëlidhen këtij ligji dhe janë pjesë përbërëse të tij.”.

Neni 7

Skema e klasifikimit dhe tabelat I, II dhe III, që i bashkëlidhen ligjit nr. 7975, datë 26.7.1995, të ndryshuar, zëvendësohen me skemën e klasifikimit dhe tabelat I, II dhe III, që i bashkëlidhen këtij ligji dhe janë pjesë përbërëse të tij.

Neni 8

Në fund të tabelave të ligjit paragrafët *) dhe **) zëvendësohen me paragrafin *) me këtë përmbajtje:

“(*) Renditja e barnave narkotikë, lëndëve psikotrope dhe lëndëve të tjera në tri tabela dhe nëntë lista është bërë në përputhje me dispozitat e këtij ligji, si dhe Konventës për Barnat Narkotike të vitit 1961 dhe Konventës për Lëndët Psikotrope të vitit 1971, të rishikuara, dhe që janë në fuqi që prej 1 korrikut 1993.”.

Neni 9

Hyrja në fuqi

Ky ligj hyn në fuqi 15 ditë pas botimit në Fletoren Zyrtare.

Miratuar në datën 14.12.2023.

Shpallur me dekretin nr. 394, datë 27.12.2023, të Presidentit të Republikës së Shqipërisë, Bajram Begaj.

Tabela I - Lista IV (Konventa e 1961)

LËNDA	EMËRTIMI KIMIK
ACETORPHINE	3-O-acetyltetrahydro-7 α -(1 -hydroxy-1 -methylbutyl)-6,14-endo-ethenooripavine (derivative of thebaine)
ACETYL-ALPHA-METHYLFENTANYL	N-[1-(α -methylphenethyl)-4-piperidyl]acetanilide
ACETYLFENTANYL	N-Phenyl-N-[1-(2-phenylethyl)-4-piperidyl]acetamide
ALPHA-METHYLFENTANYL	N-[1-(α -methylphenethyl)-4-piperidyl]propionanilide
ALPHA-METHYLTHIOFENTANYL	N-[1-[1-methyl-2-(2-thienyl)ethyl]-4-piperidyl]propionanilide
BETA-HYDROXYFENTANYL	N-[1-(β -hydroxyphenethyl)-4-piperidyl]propionanilide
BETA-HYDROXY-3-METHYLFENTANYL	N-[1-(β -hydroxyphenethyl)-3-methyl-4-piperidyl]propionanilide
CANNABIS	the flowering or fruiting tops of the cannabis plant (resin not extracted)
CANNABIS RESIN, EXTRACTS and TINCTURES	the separated resin, crude or purified, obtained from the cannabis plant
CARFENTANIL	Methyl 1-(2-phenylethyl)-4-[phenyl(propionyl)amino]piperidine-4-carboxylate
DESOMORPHINE	Dihydrodesoxymorphine (derivative of morphine)
ETORPHINE	tetrahydro-7 α -(1 -hydroxy-1 -methylbutyl)-6,14-endo-ethenooripavine (derivative of thebaine)
HEROIN	diacetylmorphine (derivative of morphine)
KETOBEMIDONE	4-m-hydroxyphenyl-1-methyl-4-propionylpiperidine
3-METHYLFENTANYL	N-(3-methyl-1-phenethyl-4-piperidyl)propionanilide
3-METHYLTHIOFENTANYL	N-[3-methyl-1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide
MPPP	1-methyl-4-phenyl-4-piperidinol propionate (ester)
para-FLUOROFENTANYL	4'-fluoro-N-(1-phenethyl-4-piperidyl)propionanilide
PEPAP	1-phenethyl-4-phenyl-4-piperidinol acetate (ester)
THIOFENTANYL	N-[1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide

Tabela I - Lista I (Konventa e 1971)

LËNDA	EMËRTIMI KIMIK
CATHINONE	(-)-(S)-2-aminopropiophenone
DET	3-[2-(diethylamino)ethyl]indole
DMHP	3-(1,2-dimethylheptyl)-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H- dibenzo[b,d]pyran-1-ol
DMT	3-[2-(dimethylamino)ethyl]indole
DMA	($\pm$)-2,5-dimethoxy- α -methylphenethylamine
DOET	($\pm$)-4-ethyl-2,5-dimethoxy- α -methylphenethylamine
BROLAMFETAMINE, DOB	($\pm$)-4-bromo-2,5-dimethoxy- α -methylphenethylamine
DOC	4-Chloro-2,5-dimethoxyamfetamine
ETRYPTAMINE	3-(2-aminobutyl)indole
(+)-LYSERGIDE, LSD, LSD-25	9,10-didehydro-N,N-diethyl-6-methylergoline-8 β -carboxamide
mescaline	3,4,5-trimethoxyphenethylamine
MDMA	($\pm$)-N, α -dimethyl-3,4-(methylenedioxy)phenethylamine
MMDA	5-methoxy- α -methyl-3,4-(methylenedioxy)phenethylamine
TENAMFETAMINE, MDA	α -methyl-3,4-(methylenedioxy)phenethylamine
4-methylaminorex	($\pm$)- <i>trans</i> -2-amino-4-methyl-5-phenyl-2-oxazoline
methcathinone	2-(methylamino)-1 -phenylpropan-1 -one
4-MTA	α -methyl-4-methylthiophenethylamine
N-ethyl MDA, MDEA	($\pm$)-N-ethyl- α -methyl-3,4-(methylenedioxy)phenethylamine
N-hydroxy MDA	($\pm$)-N-[α -methyl-3,4-(methylenedioxy)phenethyl]hydroxylamine
25B-NBOMe	2-(4-bromo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine
25C-NBOMe	2-(4-chloro-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine
25I-NBOMe	2-(4-iodo-2,5-dimethoxyphenyl)-N-(2-methoxybenzyl)ethanamine
parahexyl	3-hexyl-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-1-ol
ETICYCLIDINE, PCE	N-ethyl-1 -phenylcyclohexylamine
ROLICYCLIDINE, PHP, PCPY	1-(1 -phenylcyclohexyl)pyrrolidine
psilocine, psilocin	3-[2-(dimethylamino)ethyl]indol-4-ol
PSILOCYBINE	3-[2-(dimethylamino)ethyl]indol-4-yl dihydrogen phosphate
PMA	1 -(4-methoxyphenyl)propan-2-amine
PMMA	1-(4-methoxyphenyl)-2-methylaminopropane
STP, DOM	2,5-dimethoxy- α ,4-dimethylphenethylamine
TENOCYCLIDINE, TCP	1-[1 -(2-thienyl)cyclohexyl]piperidine
TETRAHYDRO- CANNABINOL, THC	tetrahydrocannabinol, the following isomers and their stereochemical variants:
delta-6a(10a)-THC	7,8,9,10-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol
delta-6a(7)-THC	(9R,10aR)-8,9,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H- dibenzo[b,d]pyran-1-ol
delta-7-THC	(6aR,9R,10aR)-6a,9,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H- dibenzo[b,d]pyran-1-ol
delta-8-THC	(6aR,10aR)-6a,7,10,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H- dibenzo[b,d]pyran-1-ol
delta-10-THC	6a,7,8,9-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo[b,d]pyran-1-ol
delta-9(11)-THC	(6aR,10aR)-6a,7,8,9,10,10a-hexahydro-6,6-dimethyl-9-methylene-3-pentyl-6H-dibenzo [b,d]pyran-1 -ol

	ol
TMA	(±)-3,4,5-trimethoxy-α-methylphenethylamine

Tabela II - Lista II (Konventa e 1961)

LËNDA	EMËRTIMI KIMIK
ACETYLDIHYDROCODEINE	(derivative of codeine)
CODEINE	3-methylmorphine (derivate of morphine, alkaloid contained in opium and poppy straw)
DEXTROPROPOXYPHENE	α-(+)-4-dimethylamino-1,2-diphenyl-3-methyl-2-butanol propionate (Dextro-rotary isomer of propoxyphene)
DIHYDROCODEINE	(derivative of morphine)
ETHYLMORPHINE	3-ethylmorphine (derivative of morphine)
NICOCODINE	6-nicotinylcodeine (derivative of morphine)
NICODICODINE	6-nicotinyldihydrocodeine (derivative of morphine)
NORCODEINE	N-demethylcodeine (derivative of morphine)
PHOLCODINE	morpholinylethylmorphine (derivative of morphine)
PROPIRAM	N-(1-methyl-2-piperidinoethyl)-N-2-pyridylpropionamide

Tabela II - Lista II (Konventa e 1971)

LËNDA	EMËRTIMI KIMIK
AMFETAMINE, amphetamine	(±)-α-methylphenethylamine
AMINEPTINE	7-[(10,11 -dihydro-5H-dibenzo [a,d]cyclohepten-5-yl)amino]heptanoic acid
AM-2201, JWH-2201	[1 -(5-Fluoropentyl)- 1H-indol-3-yl](naphthalen-1-yl)methanone
5F-APINACA, 5F-AKB-48	N-(adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3- carboxamide
5F-AMB, 5F-AMB-PINACA	Methyl 2-({1 -(5-fluoropentyl)-1H-indazol- 3yl}carbonyl} amino)-3-methylbutanoate
2C-B	4-bromo-2,5-dimethoxyphenethylamine
AB-CHMINACA	N-[(2S)-1 -amino-3-methyl-oxobutan-2-yl] -1-(cyclohexylmethyl)- 1H-indazole-3-carboxamide
CUMYL-4CN- BINACA	1 -(4-cyanobutyl)-N-(2-phenylpropan-2-yl)- 1H-indazole-3-carboxamide
ADB- CHMINACA, MAB-CHMINACA	N- [(2S)-1 -amino-3,3-dimethyl-1 -oxobutan-2-yl]-1 -(cyclohexylmethyl)-1H-indazole-3-carboxamide
4-CMC (4- chloromethcathinone), clephedrone	1 -(4-chlorophenyl)-2-(methylamino)-1-propanone
CUMYL- PEGACLONE	5-Pentyl-2-(2-phenylpropan-2-yl)-2,5-dihydro-1H-pyrido [4,3-b]indol-1 -one
DEXAMFETAMINE, dexamphetamine	(+)-α-methylphenethylamine
DRONABINOL, <i>delta</i> -9-tetrahydrocannabinol and its stereochemical variants	(6aR,10aR)-6a,7,8,10a-tetrahydro-6,6,9- trimethyl-3-pentyl-6H-dibenzo[b,d]pyran- 1-ol
diphenidine	1-(1,2-Diphenylethyl)piperidine
ethylone	(RS)-1 -(1,3-Benzodioxol-5-yl)-2-(ethylamino)propan-1-one
ethylphenidate	ethyl 2-phenyl-2-piperidin-2-ylacetate [1]
Eutylone	
FENETYLLINE	7-[2-[(a-methylphenethyl)amino]ethyl]theophylline
4- fluoroamphetamine, 4-FA	1 -(4-Fluorophenyl)propan-2-amine
FUB-AMB, MMB- FUBINACA, AMB- FUBINACA	Methyl(2S)-2-({1-[4-fluorophenyl]methyl-1H-indazole-3-carbonyl } amino)-3-methylbutanoate
ADB-FUBINACA	N- [(2S)-1 -amino-3,3-dimethyl-1 -oxobutan-2-yl]-1-[(4-fluorophenyl)methyl]-1H-indazole-3-carboxamide
AB-FUBINACA	N-[(2S)-1 -amino-3-methyl-1-oxobutan-2-yl]-1 -[(4-fluorophenyl)methyl]indazole-3-carboxamide
gamma- HYDROXYBUTTRIC ACID, GHB	γ-hydroxybutyric acid
JWH-018, AM-678	Naphthalene- 1-yl(1 -pentyl- 1H-indol-3-yl)methanone
LEVAMFETAMINE , levamphetamine	(-)-(R)-α-methylphenethylamine
LEVMEFAMFETAMINE, levomethamphetamine	(-)-N,α-dimethylphenethylamine
MECLOQUALONE	3-(o-chlorophenyl)-2-methyl-4(3H)- quinazolinone
METAMFETAMINE, methamphetamine	(+)-(S)-N,α-dimethylphenethylamine
METHAQUALONE	2-methyl-3-o-tolyl-4(3H)-quinazolinone
METHYLPHENIDATE	methyl α-phenyl-2-piperidine acetate
METAMFETAMINE RACEMATE, methamphetamine racemate	(±)-N,α-dimethylphenethylamine
MDPV, 3,4-methylenedioxypropylvalerone	(RS)-1 -(Benzo[d][1,3]dioxol-5-yl)-2-(pyrrolidin-1 -yl)pentan-1 -one
mephedrone, 4-methylmethcathinone	(RS)-2-methylamino-1-(4-methylphenyl)propan- 1-one
methyloone, <i>beta</i> -keto-MDMA	(RS)-2-methylamino-1-(3,4- methylenedioxyphenyl)propan-1 -one
methoxetamine, MXE	(RS)-2-(3-methoxyphenyl)-2-(ethylamino)- cyclohexanone
MDMB-CHMICA	methyl 2-[[1-(cyclohexylmethyl)indole-3- carbonyl]amino]-3,3dimethylbutanoate
methiopropamine, MPA	1-(thiophen-2-yl)-2-methylaminopropane

4-methylethcathinone, 4-MEC	2-(Ethylamino)-1-(4-methylphenyl)propan-1-one
5F-MDMB-PICA	Methyl(S)-2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate
4F-MDMB-BINACA	Methyl(S)-2-(1-(4-fluorobutyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate
MDMB-4en-PINACA	Methyl 3,3-dimethyl-2-(1-(pent-4-en-1-yl)-1H-indazole-3-carboxamido)butanoate
3-Methoxyphencyclidine	1-(1-(3-Methoxyphenyl)cyclohexyl)piperidine
N-benzylpiperazine, benzylpiperazine, BZP	1-benzylpiperazine
N-ethylnorpentylone	1-(2H-1,3-benzodioxol-5-yl)-2-(ethylamino)pentan-1-one
N-ethylhexedrone	2-(Ethylamino)-1-phenyl-1-hexanone
PHENCYCLIDINE, PCP	1-(1-phenylcyclohexyl)piperidine
PHENMETRAZINE	3-methyl-2-phenylmorpholine
5F-ADB, 5F-MDMB-PINACA	Methyl(2S)-2- {[1-(fluoropentyl)-1H-indazole-3-carbonyl]amino}-3,3-dimethylbutanoate
AB-PINACA	N-[(2S)-1-Amino-3-methyl-1-oxobutan-2-yl]-1-pentyl-1H-indazole-3-carboxamide
<i>alpha</i> -PVP	α -pyrrolidinovalerophenone
para-Methyl-4-methylaminorex, 4,4'-DMAR	4-Methyl-5-(4-methylphenyl)-4,5-dihydro-1,3-oxazol-2-amine
pentedrone	($\pm$)-2-(methylamino)-1-phenylpentan-1-one
5F-PB-22	Quinolin-8-yl 1-(5-fluoropentyl)-1H-indole-3-carboxylate
<i>alpha</i> -PHP	(RS)-1-Phenyl-2-(pyrrolidine-1-yl)hexan-1-one
SECOBARBITAL	5-allyl-5-(1-methylbutyl)barbituric acid
UR-144	(1-Pentyl-1H-indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)methanone
XLR-11	[1-(5-Fluoropentyl)-1H-indol-3-yl](2,2,3,3-tetramethylcyclopropyl)methanone
ZIPEPROL	α -(α -methoxybenzyl)-4-(β -methoxyphenethyl)-1-piperazineethanol
ADB-BUTINACA	N-[1-(Aminocarbonyl)-2,2-dimethylpropyl]-1-butyl-1H-indazole-3-carboxamide
α -PiHP	4-methyl-1-phenyl-2-(pyrrolidin-1-yl)pentan-1-one
3-Methylmethcathinone	2-(Methylamino)-1-(3-methylphenyl)propan-1-one
GBL	Gamma-butyrolactone; γ -butyrolactone
Ketamine	Ketamine

TABELA III - LISTA III (KONVENTA E 1961)

1. Përgatesat e acetildihidrokodeinës, dihidrokodeinës, etilmorfinës, folkodinës, kodeinës, nikodikodinës, nikokodinës dhe norkodeinës kur kombinohen me një ose më shumë ingredient të tjerë dhe që përmbajnë jo më shumë se 100 mg të barit narkotik për dozë, si dhe përgatesat e padozuara me një përqendrim jo më shumë se 2.5 për qind.

2. Përgatesat e propiramiit që përmbajnë jo më shumë se 100 mg propiram për dozë dhe të kombinuara të paktën me të njëjtën sasi metilceluloze.

3. Përgatesat e dekstropropoksifenit për përdorim nga goja që përmbajnë jo më shumë se 135mg dekstropropoksifen bazë për dozë ose përgatesat e padozuara me një përqendrim jo më shumë se 2.5 për qind, me kusht që këto përgatesa të mos përmbajnë ndonjë lëndë që janë në kontroll sipas Konventës për lëndët psikotrope të vitit 1971.

4. Përgatesat e kokainës që përmbajnë jo më shumë se 0,1 për qind kokainë e llogaritur si kokainë bazë dhe përgatesat e opiumit ose të morfinës që përmbajnë jo më shumë se 0,2 për qind morfinë e llogaritur si morfinë bazë pa ujë, si dhe të kombinuara me një ose më shumë ingredientë të tjerë në një mënyrë të tillë që bari narkotik nuk mund të rimerret lehtësisht dhe në sasi që të rrezikojë shëndetin e popullatës.

5. Përgatesat e difenoksinës që përmbajnë jo më shumë se 0,5 mg difenoksinë për dozë dhe një sasi sulfat atropine të paktën 5 për qind të dozës së difenoksinës.

6. Përgatesat e difenoksilatit që përmbajnë jo më shumë se 2.5 mg difenoksilat për dozë, llogaritur si bazë dhe një sasi sulfat atropine ekuivalente me të paktën 1 për qind të dozës së difenoksilatit.

7. Pulvis ipecacuanhae et opii compositus:

Pluhur opiumi 10 për qind;

Pluhur i rrënjës së ipekes 10 për qind i përzier me 80 për qind pluhur plotësues që nuk përmban ndonjë bar narkotik.

8. Përgatesat e lartpërmendura dhe të kombinuara me përgatesa të tjera që nuk përmbajnë barna narkotike.

Tabela III - Lista III (Konventa e 1971)

LËNDA	EMËRTIMI KIMIK
AMOBARBITAL	5-ethyl-5-isopentylbarbituric acid
BUTALBITAL	5-allyl-5-isobutylbarbituric acid
BUPRENORPHINE	2l-cyclopropyl-7- α -(S)-1-hydroxy-1,2,2-trimethylpropyl]-6,14-endo-ethano-6,7,8,14-tetrahydroorpavine
CYCLOBARBITAL	5-(1-cyclohexen-1-yl)-5-ethylbarbituric acid
CATHINE, (+)- norpseudoephedrine	(+)-(S)- α -(S)-1-aminoethyl]benzyl alcohol
FLUNITRAZEPAM	5-(o-fluorophenyl)-1,3-dihydro-1-methyl-7-nitro-2H-1,4-benzodiazepin-2-one
GLUTETHIMIDE	2-ethyl-2-phenylglutarimide
PENTOBARBITAL	5-ethyl-5-(1-methylbutyl)barbituric acid
PENTAZOCINE	(2R*,6R*,11R*)-1,2,3,4,5,6-hexahydro-6,11-dimethyl-3-(3-methyl-2-butenyl)-2,6-methano-3-benzazocin-8-ol

Tabela III - Lista IV (Konventa e 1971)

LËNDA	EMËRTIMI KIMIK
AMFEPRAMONE, diethylpropion	2-(diethylamino)propiofenone
ALPRAZOLAM	8-chloro-1-methyl-6-phenyl-4H-s-triazolo[4,3-a][1,4]benzodiazepine
ALLOBARBITAL	5,5-diallylbarbituric acid

AMINOREX	2-amino-5-phenyl-2-oxazoline
BARBITAL	5,5-diethylbarbituric acid
BENZFETAMINE, benzphetamine	N-benzyl-N,α-dimethylphenethylamine
BROMAZEPAM	7-bromo-1,3-dihydro-5-(2-pyridyl)-2H-1,4-benzodiazepin-2-one
BUTOBARBITAL	5-butyl-5-ethylbarbituric acid
BROTTIZOLAM	2-bromo-4-(o-chlorophenyl)-9-methyl-6H-thieno[3,2-f'-s-triazolo[4,3-d][1,4]diazepine
CAMAZEPAM	7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one dimethylcarbamate (ester)
CHLORDIAZEPOXIDE	7-chloro-2-(methylamino)-5-phenyl-3H-1,4-benzodiazepine-4-oxide
CLOBAZAM	7-chloro-1-methyl-5-phenyl-1H-1,5-benzodiazepine-2,4(3H,5H)-dione
CLONAZEPAM	5-(o-chlorophenyl)-1,3-dihydro-7-nitro-2H-1,4-benzodiazepin-2-one
CLOAZEPATE	7-chloro-2,3-dihydro-2-oxo-5-phenyl-1H-1,4-benzodiazepine-3-carboxylic acid
CLOTIAZEPAM	5-(o-chlorophenyl)-7-ethyl-1,3-dihydro-1-methyl-2H-thieno[2,3-e]-1,4-diazepin-2-one
CLOXAZOLAM	10-chloro-11b-(o-chlorophenyl)-2,3,7,11b-tetrahydro-oxazolo-[3,2-d][1,4]benzodiazepin-6(5H)-one
CLONAZOLAM	6-(2-Chlorophenyl)-1-methyl-8-nitro-4H-benzo[f][1,2,4]triazolo[4,3-d][1,4]diazepine
DELORAZEPAM	7-chloro-5-(o-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one
FLAZEPAM	7-chloro-1,3-dihydro-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one
DICLAZEPAM	7-Chloro-5-(2-chlorophenyl)-1-methyl-1,3-dihydro-2H-benzo[d][1,4]diazepin-2-one
ETHCHLORVYNOL	1-chloro-3-ethyl-1-penten-4-yn-3-ol
ETHINAMATE	1-ethynylcyclohexanolcarbamate
ESTAZOLAM	8-chloro-6-phenyl-4H-s-triazolo[4,3-a][1,4]benzodiazepine
ETHYL LOFLAZEPATE	ethyl 7-chloro-5-(o-fluorophenyl)-2,3-dihydro-2-oxo-1H-1,4-benzodiazepine-3-carboxylate
ETILAMFETAMINE, N-ethylamphetamine	N-ethyl-α-methylphenethylamine
ETIZOLAM	4-(2-Chlorophenyl)-2-ethyl-9-methyl-6H-thieno[3,2-f][1,2,4]triazolo[4,3a][1,4]diazepine
FLUDIAZEPAM	7-chloro-5-(o-fluorophenyl)-1,3-dihydro-1-methyl-2H-1,4-benzodiazepin-2-one
FLURAZEPAM	7-chloro-1-[2-(diethylamino)ethyl]-5-(o-fluorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one
FENCAMFAMIN	N-ethyl-3-phenyl-2-norbornanamine
FENPROPOREX	(±)-3-[(α-methylphenylethyl)amino]propionitrile
FLUALPRAZOLAM	8-Chloro-6-(2-fluoro-phenyl)-1-methyl-4H-benzo[h][1,2,4]triazolo[4,3-a][1,4]diazepine
FLUBROMAZOLAM	8-Bromo-6-(2-fluorophenyl)-1-methyl-4H-benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepine
HALAZEPAM	7-chloro-1,3-dihydro-5-phenyl-1-(2,2,2-trifluoroethyl)-2H-1,4-benzodiazepin-2-one
HALOXAZOLAM	10-bromo-11b-(o-fluorophenyl)-2,3,7,11b-tetrahydrooxazolo[3,2-d][1,4]benzodiazepin-6(5H)-one
KETAZOLAM	11-chloro-8,12b-dihydro-2,8-dimethyl-12b-phenyl-4H-[1,3]oxazino[3,2-d][1,4]benzodiazepin-4,7(6H)-dione
LEFETAMINE, SPA	(-)-N,N-dimethyl-1,2-diphenylethylamine
LOPRAZOLAM	6-(o-chlorophenyl)-2,4-dihydro-2-[(4-methyl-1-piperazinyl)methylene]-8-nitro-1H-imidazo[1,2-a][1,4]benzodiazepin-1-one
LORAZEPAM	7-chloro-5-(o-chlorophenyl)-1,3-dihydro-3-hydroxy-2H-1,4-benzodiazepin-2-one
LORMETAZEPAM	7-chloro-5-(o-chlorophenyl)-1,3-dihydro-3-hydroxy-1-methyl-2H-1,4-benzodiazepin-2-one
MAZINDOL	5-(p-chlorophenyl)-2,5-dihydro-3H-imidazo[2,1-a]isoindol-5-ol
MEPROBAMATE	2-methyl-2-propyl-1,3-propanedioldicarbamate
METHYLPHENOBARBITAL	5-ethyl-1-methyl-5-phenylbarbituric acid
METHYPRYLON	3,3-diethyl-5-methyl-2,4-piperidine-dione
MEDAZEPAM	7-chloro-2,3-dihydro-1-methyl-5-phenyl-1H-1,4-benzodiazepine
MEFENOREX	N-(3-chloropropyl)-α-methylphenethylamine
MIDAZOLAM	8-chloro-6-(o-fluorophenyl)-1-methyl-4H-imidazo[1,5-a][1,4]benzodiazepine
MESOCARB	3-(α-methylphenethyl)-N-(phenylcarbamoyl)sydnone imine
NIMETAZEPAM	1,3-dihydro-1-methyl-7-nitro-5-phenyl-2H-1,4-benzodiazepin-2-one
NITRAZEPAM	1,3-dihydro-7-nitro-5-phenyl-2H-1,4-benzodiazepin-2-one
NORDAZEPAM	7-chloro-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one
OXAZEPAM	7-chloro-1,3-dihydro-3-hydroxy-5-phenyl-2H-1,4-benzodiazepin-2-one
OXAZOLAM	10-chloro-2,3,7,11b-tetrahydro-2-methyl-11b-phenyloxazolo[3,2-d][1,4]benzodiazepin-6(5H)-one
PHENDIMETRAZINE	(+)-(2S,3S)-3,4-dimethyl-2-phenylmorpholine
PHENOBARBITAL	5-ethyl-5-phenylbarbituric acid
PHENTERMINE	α,α-dimethylphenethylamine
PIPRADROL	1,1-diphenyl-1-(2-piperidyl)methanol
PINAZEPAM	7-chloro-1,3-dihydro-5-phenyl-1-(2-propynyl)-2H-1,4-benzodiazepin-2-one
PRAZEPAM	7-chloro-1-(cyclopropylmethyl)-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one
PYROVALERONE	4'-methyl-2-(1-pyrrolidinyl)valerophenone
PEMOLINE	2-amino-5-phenyl-2-oxazolin-4-one
PHENAZEPAM, FENAZEPAM	7-bromo-5-(2-chlorophenyl)-1,3-dihydro-2H-1,4-benzodiazepin-2-one
SECIBUTABARBITAL	5-sec-butyl-5-ethylbarbituric acid
TEMAZEPAM	7-chloro-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2H-1,4-benzodiazepin-2-one
TETRAZEPAM	7-chloro-5-(1-cyclohexen-1-yl)-1,3-dihydro-1-methyl-2H-1,4-benzodiazepin-2-one
TRIAZOLAM	8-chloro-6-(o-chlorophenyl)-1-methyl-4H-s-triazolo[4,3-a][1,4]benzodiazepine
VINYLBITAL	5-(1-methylbutyl)-5-vinylbarbituric acid
ZOLPIDEM	N,N,6-trimethyl-2-p-tolylimidazo[1,2-a]pyridine-3-acetamide

Tabela III (lista V)	
LËNDA	EMËRTIMI KIMIK
Nitrous oxide; N2O	Oxodiazin-2-ium-1-ide

(Shtuar tabela II-Lista I me Aktin nr. 2294-1, datë 7.6.2024)

Tabela II - Lista I (Konventa e 1961)	
LËNDA	EMËRTIMI KIMIK
ACETYLMETHADOL	3-acetoxy-6-dimethylamino-4,4-diphenylheptane
ACRYLOYLFENTANYL	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]prop-2-enamide

(ACRYLFENTANYL)	
ALFENTANIL	N-[1-[2-(4-ethyl-4,5-dihydro-5-oxo-1 H-tetrazol-1 -yl)ethyl]-4-(methoxymethyl)-4-piperidinyl]-N-phenylpropanamide
AH-7921	3,4-Dichloro-N-[[1-(dimethylamino)cyclohexyl]methyl] benzamide
ALLYLPRODINE	3-allyl-1-methyl-4-phenyl-4-propionoxypiperidine
ALPHACETYLMETHADOL	α -3-acetoxy-6-dimethylamino-4,4-diphenylheptane
ALPHAMEPRODINE	α -3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine
ALPHAMETHADOL	α -6-dimethylamino-4,4-diphenyl-3-heptanol
ALPHAPRODINE	α -1,3-dimethyl-4-phenyl-4-propionoxypiperidine
ANILERIDINE	1-p-aminophenethyl-4-phenylpiperidine-4-carboxylic acid ethyl ester
BENZETHIDINE	1-(2-benzyloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester
BENZYL MORPHINE	3-benzylmorphine
BETACETYLMETHADOL	β -3-acetoxy-6-dimethylamino-4,4-diphenylheptane
BETAMEPRODINE	β -3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine
BETAMETHADOL	β -6-dimethylamino-4,4-diphenyl-3-heptanol
BETAPRODINE	β -1,3-dimethyl-4-phenyl-4-propionoxypiperidine
BEZITRAMIDE	1-(3-cyano-3,3-diphenylpropyl)-4-(2-oxo-3-propionyl-1-benzimidazolyl)piperidine
BUTYRFENTANYL	N-phenyl-N-[1-(2-phenylethyl)-4-piperidinyl]butanamide
CLONITAZENE	2-(p-chlorobenzyl)-1-diethylaminoethyl-5-nitrobenzimidazole
Coca leaf	the leaf of the coca bush (plant material), except a leaf from which all ecgonine, cocaine and any other ecgonine alkaloids have been removed
COCAINE	methyl ester of benzoylecgonine (an alkaloid found in coca leaves or prepared by synthesis from ecgonine)
CODOXIME	dihydrocodeinone-6-carboxymethyloxime (derivate of morphine)
CONCENTRATE OF POPPY STRAW	*Refer to Section entitled "Intermediate Opiate Raw Materials" (below)
CROTONYL FENTANYL	(E)-N-(1-phenethylpiperidin-4-yl)-N-phenylbut-2-enamide
CYCLOPROPYL FENTANYL	N-Phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]cyclopropanecarboxamide
DEXTROMORAMIDE	(+)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine (dextro-rotatory isomer of moramide)
DIAMPROMIDE	N-[2-(methylphenethylamino)-propyl]propionanilide
DIETHYLTHIAMBUTENE	3-diethylamino-1,1-di-(2'-thienyl)-1-butene
DIFENOXIN	1-(3-cyano-3,3-diphenylpropyl)-4-phenylisonipecotic acid
DIHYDROETORPHINE	7,8-dihydro-7 α -[1 -(R)-hydroxy-1 -methylbutyl]-6,14-endo-ethanotetrahydrooripavine (derivative of etorphine)
DIHYDROMORPHINE	(derivative of morphine)
DIMENOXADOL	2-dimethylaminoethyl-1-ethoxy-1,1-diphenylacetate
DIMEPHEPTANOL	6-dimethylamino-4,4-diphenyl-3-heptanol
DIMETHYLTHIAMBUTENE	3-dimethylamino-1, 1 -di-(2'-thienyl)-1-butene
DIOXAPHETYL BUTYRATE	ethyl-4-morpholino-2,2-diphenylbutyrate
DIPHENOXYLATE	1-(3-cyano-3,3-diphenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester
DIPIPANONE	4,4-diphenyl-6-piperidine-3-heptanone
DROTEBANOL	3,4-dimethoxy-17-methylmorphinan-6 β ,14-diol
ECGONINE	its esters and derivatives which are convertible to ecgonine and cocaine
ETHYLMETHYLTHIAMBUTENE	3-ethylmethylamino-1,1-di-(2'-thienyl)-1-butene
ETONITAZENE	1-diethylaminoethyl-2-p-ethoxybenzyl-5-nitrobenzimidazole
ETOXERIDINE	1-[2-(2-hydroxyethoxy)-ethyl]-4-phenylpiperidine-4-carboxylic acid ethyl ester
FENTANYL	1-phenethyl-4-N-propionylanilinopiperidine
4-FLUOROISOBUTYRFENTANYL (4-FIBF, pFIBF)	<i>N</i> -(4-fluorophenyl)- <i>N</i> -(1-phenethylpiperidin-4-yl)isobutyramide
FURANYLFENTANYL	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]furan-2-carboxamide
FURETHIDINE	1-(2-tetrahydrofurfuryloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester
HYDROCODONE	dihydrocodeinone (derivative of morphine)
HYDROMORPHINOL	14-hydroxydihydromorphine (derivative of morphine)
HYDROMORPHONE	dihydromorphinone (derivative of morphine)
HYDROXYPETHIDINE	4-m-hydroxyphenyl-1-methylpiperidine-4-carboxylic acid ethyl ester
ISOMETHADONE	6-dimethylamino-5-methyl-4,4-diphenyl-3-hexanone
ISOTONITAZENE	N,N-diethyl-2-(2-(4-isopropoxybenzyl)-5-nitro-1H- benzof[d]imidazol-1-yl)ethan-1-amine
LEVOMETHORPHAN	(-)-3-methoxy-N-methylmorphinan
LEVOMORAMIDE	(-)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine
LEVOPHENACYLMORPHAN	(-)-3-hydroxy-N-phenacylmorphinan
LEVORPHANOL ²	(-)-3-hydroxy-N-methylmorphinan
METAZOCINE	2-hydroxy-2,5,9-trimethyl-6,7-benzomorphan
METHADONE	6-dimethylamino-4,4-diphenyl-3-heptanone
METHADONE INTERMEDIATE	4-cyano-2-dimethylamino-4,4-diphenylbutane
METHOXYACETYLFENTANYL	2-Methoxy-N-phenyl-N-[1-(2-phenylethyl)piperidin-4- yl]acetamide
METHYLDESORPHINE	6-methyl- Δ^6 -deoxymorphine (derivative of morphine)
METHYLDIHYDROMORPHINE	6-methyldihydromorphine (derivative of morphine)
METOPON	5-methyldihydromorphinone (derivative of morphine)
MORAMIDE INTERMEDIATE	2-methyl-3-morpholino-1,1-diphenylpropane carboxylic acid
MORPHERIDINE	1-(2-morpholinoethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester
MORPHINE	the principal alkaloid of opium and of opium poppy
MORPHINE METHOBROMIDE	AND OTHER PENTAVALENT NITROGEN MORPHINE DERIVATIVES including in particular the morphine-N-oxide derivatives, one of which is codeine-N-oxide
MORPHINE-N-OXIDE	(derivate of morphine)
MT-45	1-cyclohexyl-4-(1,2-diphenylethyl)piperazine
MYORPHINE	Myristylbenzylmorphine (derivate of morphine)
NICOMORPHINE	3,6-dinicotinylmorphine (derivate of morphine)

NORACYMETHADOL	(±)-α-3-acetoxy-6-methylamino-4,4-diphenylheptane
NORLEVORPHANOL	(-)-3-hydroxymorphinan
NORMETHADONE	6-dimethylamino-4,4-diphenyl-3-hexanone
NORMORPHINE	demethylmorphine (derivate of morphine)
NORPIPANONE	4,4-diphenyl-6-piperidino-3-hexanone
OCFENTANIL	N-(2-fluorophenyl)-2-methoxy-N-[1-(2-phenylethyl)piperidin-4-yl]acetamide
OPIUM ³	the coagulated juice of the opium poppy (plant species <i>Papaver somniferum</i> L.)
ORIPAVINE	3-O-demethylthebaine
ORTHOFLUOROFENTANYL	N-(2-Fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl] propanamide
OXYCODONE	14-hydroxydihydrocodeinone (derivate of morphine)
OXYMORPHONE	14-hydroxydihydromorphinone (derivate of morphine)
PARAFLUOROBUTYRYLFENTANYL	N-(4-Fluorophenyl)-N-[1-(2-phenylethyl)piperidin-4-yl]butanamide
PETHIDINE	1-methyl-4-phenylpiperidine-4-carboxylic acid ethyl ester
PETHIDINE INTERMEDIATE A	4-cyano-1-methyl-4-phenylpiperidine
PETHIDINE INTERMEDIATE B	4-phenylpiperidine-4-carboxylic acid ethyl ester
PETHIDINE INTERMEDIATE C	1-methyl-4-phenylpiperidine-4-carboxylic acid
PHENADOXONE	6-morpholino-4,4-diphenyl-3-heptanone
PHENAMPROMIDE	N-(1-methyl-2-piperidinoethyl)propionanilide
PHENAZOCINE	2'-hydroxy-5,9-dimethyl-2-phenethyl-6,7-benzomorphan
PHENOMORPHAN	3-hydroxy-N-phenethylmorphinan
PHENOPERIDINE	1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester
PIMINODINE	4-phenyl-1-(3-phenylaminopropyl)piperidine-4-carboxylic acid ethyl ester
PIRITRAMIDE	1-(3-cyano-3,3-diphenylpropyl)-4-(1-piperidino)piperidine-4-carboxylic acid amide
PROHEPTAZINE	1,3-dimethyl-4-phenyl-4-propionoxazacycloheptane
PROPERIDINE	1-methyl-4-phenylpiperidine-4-carboxylic acid isopropyl ester
RACEMETHORPHAN	(±)-3-methoxy-N-methylmorphinan
RACEMORAMIDE	(±)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]morpholine
RACEMORPHAN ⁴	(±)-3-hydroxy-N-methylmorphinan
REMIFENTANIL	1-(2-methoxycarbonylethyl)-4-(phenylpropionylamino)-piperidine-4-carboxylic acid methyl ester
SUFENTANIL	N-[4-(methoxymethyl)-1-[2-(2-thienyl)ethyl]-4-piperidyl]propionanilide
TETRAHYDROFURANYLFENTANYL (THF-F)	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]tetrahydrofuran-2-carboxamide
THEBACON	Acetyldihydrocodeinone (acetylated enol form of hydrocodone)
THEBAINE	(an alkaloid of opium; also found in <i>Papaver bracteatum</i>)
TILIDINE	(±)-ethyl-trans-2-(dimethylamino)-1-phenyl-3-cyclohexene-1-carboxylate
TRIMEPERIDINE	1,2,5-trimethyl-4-phenyl-4-propionoxypiperidine
U-47700	3,4-dichloro-N-(2-dimethylamino-cyclohexyl)-N-methyl-benzamide
VALERYLFENTANYL	N-(1-phenethylpiperidin-4-yl)-N-phenylpentanamide
BRORPHINE	3-[1-[1-(4-bromophenyl)ethyl]-4-piperidyl]-1H-benzimidazol-2-one; 1-(1-(1-(4-bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2H-benzimidazol-2-one; 1-(1-(1-(4-bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2H-benzo[d]imidazol-2-one
METONITAZENE	N,N-diethyl-2-[2-[(4-methoxyphenyl)methyl]-5-nitro-benzimidazol-1-yl]ethanamine; 1-(2-Diethylaminoethyl)-2-(p-methoxybenzyl)-5-nitro-1Hbenzimidazole; N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine
2-METHYL AP-237	1-{2-Methyl-4-[(2E)-3-phenylprop-2-en-1-yl]piperazin-1-yl}butan-1-one
ETAZENE	2-[(4-Ethoxyphenyl)methyl]-N,N-diethyl-1H-benzimidazole-1-ethanamine
ETONITAZEPYNE	2-[(4-Ethoxyphenyl)methyl]-5-nitro-1-(2-pyrrolidin-1-ylethyl)-1Hbenzoimidazole
PROTONITAZENE	N,N-Diethyl-5-nitro-2-[(4-propoxyphenyl)methyl]-1H-benzimidazole-1-ethanamine