

URDHËR
Nr. 277, datë 15.6.2022

**PËR ZBATIMIN E DISA RREGULLAVE PËR PARANDALIMIN DHE
KONTROLLIN E SËMUNDJEVE TË KATEGORIVE TË LISTUARA DHE KRIJIMIN
E NJË LISTE TË LLOJEVE DHE GRUPEVE TË SPECIEVE QË PARAQESIN
RREZIK TË KONSIDERUESHËM PËR PËRHAPJEN E KËTYRE SËMUNDJEVE**

Në mbështetje të nenit 102, pika 4, të Kushtetutës; të nenit 14, të ligjit nr. 10465, datë 29.9.2011, “Për shërbimin veterinar në Republikën e Shqipërisë”, të ndryshuar,

URDHËROJ:

1. Miratimin e rregullave për parandalimin dhe kontrollin e sëmundjeve të kategorive të listuara dhe krijimin e një liste të llojeve dhe grupeve të specieve që paraqesin rrezik të konsiderueshëm për përhapjen e këtyre sëmundjeve.

2. Për zbatimin e këtij urdhri ngarkohet Drejtoria e Përgjithshme e Politikave dhe Programeve të Bujqësisë, Sigurisë Ushqimore dhe Zhvillimit Rural, Autoriteti Kombëtar i Veterinarisë dhe Mbrojtjes së Bimëve dhe Instituti i Sigurisë Ushqimore dhe Veterinarisë.

Ky urdhër hyn në fuqi menjëherë dhe botohet në Fletoren Zyrtare.

MINISTËR I BUJQËSISË DHE ZHVILLIMIT RURAL
Frida Krifca

Neni 1

Përkufizimet e mëposhtme kanë kuptimin si vijon:

a) “Sëmundje e kategorisë A” është një sëmundje e listuar që normalisht nuk shfaqet në vend, për të cilën duhet të merren masa të menjëhershme çrrënjësjeje sapo të zbulohet;

b) “Sëmundje e kategorisë B” është një sëmundje e listuar e cila duhet të kontrollohet me synimin për ta çrrënjësuar atë në të gjithë territorin e vendit;

c) “Sëmundje e kategorisë C” është një sëmundje e listuar, e rëndësishme në vend, për të cilën nevojiten masa për të parandaluar përhapjen e saj në vend dhe vende të tjera që janë zyrtarisht të lira pa sëmundje ose që kanë programe çrrënjësjeje për sëmundjet e listuara në fjalë;

d) “Sëmundje e kategorisë D” është një sëmundje e listuar për të cilën nevojiten masa për të parandaluar përhapjen e sëmundjes në vend dhe hyrjen e sëmundjes në vende të tjera, ose si pasojë e lëvizjeve në vende të tjera;

e) “Sëmundje e kategorisë E” është një sëmundje e listuar për të cilën ka nevojë për një survejancë brenda vendit.

Neni 2

Rregullat e parandalimit dhe kontrollit të sëmundjeve për sëmundjet e listuara, duhet të zbatohen për kategoritë e sëmundjeve të listuara, për speciet e listuara dhe grupet e specieve të listuara të përcaktuara në tabelën e shtojcës I të këtij urdhri.

SHTOJCA I
TABELA E KATEGORIVE TË LISTËS SË SËMUNDJEVE TË LISTUARA, SPECIEVE TË
LISTUARA DHE VEKTORËVE TË SËMUNDJEVE

Emri i sëmundjes së listuar	Emri i sëmundjes së listuar në gjuhën angleze	Kategoria e sëmundjeve të listuara	Llojet e listuara	
			Llojet dhe grupi i specieve	Llojet e vektorëve
Sëmundja e Aftës Epizootike	Foot and mouth disease	A+D+E	Artiodactyla, Proboscidea	
Sëmundja e Rinderpestit	Infection with rinderpest virus	A+D+E	Artiodactyla	
Sëmundja e luginës Rift	Infection with Rift Valley fever virus	A+D+E	Perissodactyla, Antilocapridae, Bovidae, Camelidae, Cervidae, Giraffidae, Hippopotamidae, Moschidae, Proboscidea	Culicidae
Bruçeloza (<i>Brucella abortus</i> , <i>B. melitensis</i> , <i>B. suis</i>)	Infection with <i>Brucella abortus</i> , <i>B. melitensis</i> , <i>B. suis</i>	B+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp., <i>Ovis</i> ssp., <i>Capra</i> ssp.	
		D+E	<i>Artiodactyla</i> të tjerë nga <i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp., <i>Ovis</i> ssp., <i>Capra</i> ssp.	
		E	Perissodactyla, Carnivora, Lagomorpha	
Sëmundja e Mykobakteriozës (<i>Mycobacterium tuberculosis complex</i> (<i>M. bovis</i> , <i>M. caprae</i> , <i>M. tuberculosis</i>))	Infection with <i>Mycobacterium tuberculosis complex</i> (<i>M. bovis</i> , <i>M. caprae</i> , <i>M. tuberculosis</i>)	B+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
		D+E	<i>Artiodactyla</i> të tjerë nga <i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
		E	Gjitarë (tokësorë)	
Tërbimi	Infection with rabies virus	B+D+E	Carnivora, Bovidae, Suidae, Equidae, Cervidae, Camelidae	
		E	Chiroptera	
Ekinokokoza (<i>Echinococcus multilocularis</i>)	Infestation with <i>Echinococcus multilocularis</i>	C+D+E	Canidae	

Gjuha Blu (serotipet 1–24)	Infection with bluetongue virus (serotypes 1- 24)	C+D+E	Antilocapridae, Bovidae, Came- lidae, Cervidae, Giraffidae, Mo-schidae, Tragulidae	<i>Culicoides</i> spp.
Sëmundja epizootike hemoragjike	Infection with epizootic haemorrhagic disease virus	D+E	Antilocapridae, Bovidae, Came-lidae, Cervidae, Giraffidae, Mo-schidae, Tragulidae	<i>Culicoides</i> spp.
Tërbimi	Anthrax	D+E	Perissodactyla, Artiodactyla, Proboscidea	
Tripanosomoza	Surra (<i>Trypanosoma evansi</i>)	D+E	Equidae, Artiodactyla	Tabanidae
Ebola	Ebola virus disease	D+E	Primatët jonjerëzorë (apes)	
Paratuberkulozi	Paratuberculosis	E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp., <i>Ovis</i> ssp., <i>Capra</i> ssp., <i>Ca- melidae</i> , Cervidae	
Encefaliti Japonez	Japanese encephalitis	E	Equidae	Culicidae
Ethja e Nilit Perëndimor	West Nile fever	E	Equidae, Aves	Culicidae
Ethja Q	Q fever	E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp., <i>Ovis</i> ssp., <i>Capra</i> ssp.	
Sëmundja e dermatozës nodulare	Infection with lumpyskin disease virus	A+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	Haematophagous arthropods
Pleurpneumonia kontagioze e gjedhit (<i>Mycoplasma mycoides</i> subsp. <i>mycoides</i> SC (Contagious bovine pleuropneumonia)	Infection with <i>Mycoplasma mycoides</i> subsp. <i>mycoides</i> SC (Contagious bovine pleuropneumonia)	A+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp., <i>Syncerus cafer</i>	
Rinotrakeiti infektiv i gjedhit/ Vulvovaginiti pustular i gjedhit	Infectious bovine rhinotracheitis/infectio uspustular vulvovaginitis	C+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
		D+E	Camelidae, Cervidae	
Diarrëa virale e gjedhit	Bovine viral diarrhoea	C+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
Kampilobakterioza	Bovine genital campylobacterio sis	D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
Trikomonoza	Trichomonosis	D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	

Leukoza enzootike e gjedhit	Enzootic bovine leukosis	C+D+E	<i>Bison</i> ssp., <i>Bos</i> ssp., <i>Bubalus</i> ssp.	
Lija e dhenve dhe dhive	Sheep pox and goat pox	A+D+E	<i>Ovis</i> ssp., <i>Capra</i> ssp.	
Murtaja e ruminanteve të vegjël	Infection with peste despetits ruminants virus	A+D+E	<i>Ovis</i> ssp., <i>Capra</i> ssp., <i>Camelidae</i> , <i>Cervidae</i>	
Pleurpneumonia kontagioze e dhenve	Contagious caprine pleuropneumonia	A+D+E	<i>Ovis</i> ssp., <i>Capra</i> ssp., <i>Gazella</i> ssp.	
Epidedimiti (<i>Brucella ovis</i>)	Ovine epididymitis (<i>Brucella ovis</i>)	D+E	<i>Ovis</i> ssp., <i>Capra</i> ssp.	
Sëmundja afrikane e kuajve	African horse sickness	A+D+E	Equidae	<i>Culicoides</i> spp.
Morva (<i>Burkholderia mallei</i>)	Infection with <i>Burkholderia mallei</i> (Glanders)	A+D+E	Equidae, <i>Capra</i> ssp., <i>Camelidae</i>	
Artriti viral i kuajve	Infection with equine arteritis virus	D+E	Equidae	
Anemia Infektive e kuajve	Equine infectious anaemia	D+E	Equidae	Tabanidae
Durina	Dourine	D+E	Equidae	
Encefalomieli i venezueljan i kuajve	Venezuelan equine encephalomyelitis	D+E	Equidae	Culicidae
Metriti kontagjioz o kuajve	Contagious equine metritis	D+E	Equidae	
Encefalomieli i kuajve	Equine encephalomyelitis (Eastern and Western)	E	Equidae	Culicidae
Murtaja klasike e derrave	Classical swine fever	A+D+E	Suidae, Tayassuidae	
Murtaja afrikane e derrave	African swine fever	A+D+E	Suidae	Ornithodoros
Sëmundja e Aujeszky	Infection with Aujeszky's disease virus	C+D+E	Suidae	
Sindromi riprodhues dhe respirator i derrave	Infection with porcine reproductive and respiratory syndrome virus	D+E	Suidae	
Influenca aviare me patogjenitet të lartë	Highly pathogenic avian influenza	A+D+E	Aves	

Sëmundja e Pseudopestit	Infection with Newcastle disease virus	A+D+E	Aves	
Mykoplasmoza aviare (Mycoplasma gallisepticum and M. meleagridis)	Avian mycoplasmosis (<i>Mycoplasma gallisepticum</i> and <i>M. meleagridis</i>)	D+E	Gallus gallus, Meleagris gallo-pavo	
Salmoneloza (<i>Salmonella Pullorum</i> , <i>S. Gallinarum</i> , <i>S. arizonae</i>)	Infection with <i>Salmonella Pullorum</i> , <i>S. Gallinarum</i> , <i>S. arizonae</i>	D+E	<i>Gallus gallus</i> , <i>Meleagris gallo-pavo</i> , <i>Numida meleagris</i> , <i>Coturnix coturnix</i> , <i>Phasianus colchicus</i> , <i>Perdix perdix</i> , <i>Anas</i> spp.	
Influenca aviare me patogjenitet të ulët	Infection with lowpathogenic avian influenza viruses	D+E	Aves	
Klamidioza	Avian chlamydiosis	D+E	Psittaciformes	
Varroatoza	Infestation with <i>Varroa</i> spp. (Varroosis)	C+D+E	Apis	
Brumbulli i vogël i koshereve - <i>Aethina tumida</i>	Infestation with <i>Aethina tumida</i> (Small hive beetle)	D+E	<i>Apis</i> , <i>Bombus</i> spp.	
Pesta amerikane	American foulbrood	D+E	Apis	
Infestimi me <i>Tropilaelaps</i> spp.	Infestation with <i>Tropilaelaps</i> spp.	D+E	Apis	
Infeksioni i <i>Batrachochytrium salamandrivorans</i>	Infection with <i>Batrachochytrium salamandrivorans</i>	D+E	Caudata	
Nekroza hematopoetike epizootike	Epizootic haematopoieticnecrosis	A+D+E	Rainbow trout (<i>Oncorhynchus mykiss</i>), redfin perch (<i>Perca fluviatilis</i>)	Bighead carp (<i>Aristichthys nobilis</i>), goldfish (<i>Carassius auratus</i>), crucian carp (<i>Carassius carassius</i>), common carp and koi carp (<i>Cyprinus carpio</i>), silver carp (<i>Hypophthalmichthys molitrix</i>), chub (<i>Leuciscus</i> spp.), roach (<i>Rutilus rutilus</i>), rudd (<i>Scardinius erythrophthalmus</i>), tench (<i>Tinca tinca</i>)

Septicemia hemoragjike virale	Viral haemorrhagic septicaemia	C+D+E	Herring (<i>Clupea</i> spp.), whitefish (<i>Coregonus</i> spp.), pike (<i>Esox lucius</i>), haddock (<i>Melanogrammus aeglefinus</i>), Pacific cod (<i>Gadus macrocephalus</i>), Atlantic cod (<i>Gadus morhua</i>), Pacific salmon (<i>Oncorhynchus</i> spp.) rainbow trout (<i>Oncorhynchus mykiss</i>), rockling (<i>Onomichthys mustelus</i>), brown trout (<i>Salmo trutta</i>), turbot (<i>Scophthalmus maximus</i>), sprat (<i>Sprattus sprattus</i>), grayling (<i>Thymallus thymallus</i>), olive flounder (<i>Paralichthys olivaceus</i>), marble trout (<i>Salmo marmoratus</i>), lake trout (<i>Salvelinus namaycush</i>), wrasse (<i>Labridae</i> spp.), lumpfish (<i>Cyclopteridae</i> spp.)	Beluga (<i>Huso huso</i>), Danube sturgeon (<i>Acipenser gueldenstaedtii</i>), sterlet sturgeon (<i>Acipenser ruthenus</i>), starry sturgeon (<i>Acipenser stellatus</i>), sturgeon (<i>Acipenser sturio</i>), Siberian sturgeon (<i>Acipenser baerii</i>), bighead carp (<i>Aristichthys nobilis</i>), goldfish (<i>Carassius auratus</i>), crucian carp (<i>Carassius carassius</i>), common carp and koi carp (<i>Cyprinus carpio</i>), silver carp (<i>Hypophthalmichthys molitrix</i>), chub (<i>Leuciscus</i> spp.), roach (<i>Rutilus rutilus</i>), rudd (<i>Scardinius erythrophthalmus</i>), tench (<i>Tinca tinca</i>), North African catfish (<i>Clarias gariepinus</i>), pike (<i>Esox lucius</i>), catfish (<i>Ictalurus</i> spp.), black bullhead (<i>Ameiurus melas</i>), channel catfish (<i>Ictalurus punctatus</i>), pangas catfish (<i>Pangasius pangasius</i>), pike perch (<i>Sander lucioperca</i>), wels catfish (<i>Silurus glanis</i>), European seabass (<i>Dicentrarchus labrax</i>), striped bass (<i>Morone chrysops</i> x <i>Morone saxatilis</i>), flathead grey mullet (<i>Mugil cephalus</i>), red drum (<i>Sciaenops ocellatus</i>), meagre (<i>Argyrosomus regius</i>), shi drum (<i>Umbrina cirrosa</i>), true tuna (<i>Thunnus</i> spp.), Atlantic bluefin tuna (<i>Thunnus thynnus</i>), white grouper (<i>Epinephelus aeneus</i>), dusky grouper (<i>Epinephelus marginatus</i>), Senegalese solea (<i>Solea senegalensis</i>), common sole (<i>Solea solea</i>), common pandora (<i>Pagellus erythrinus</i>), common dentex (<i>Dentex dentex</i>), gilthead seabream (<i>Sparus aurata</i>), white seabream (<i>Diplodus sargus</i>), black spot seabream (<i>Pagellus bogaraveo</i>), red sea bream (<i>Pagrus major</i>), sharpnout seabream (<i>Diplodus puntazzo</i>), common two-banded seabream (<i>Diplodus vulgaris</i>), red porgy (<i>Pagrus pagrus</i>), tilapia spp. (<i>Oreochromis</i>), brook trout (<i>Salvelinus fontinalis</i>), arctic charr (<i>Salvelinus alpinus</i>)
----------------------------------	-----------------------------------	-------	---	---

Nekroza hamatopoetike	Infectious haematopoietic necrosis	C+D+E	Chum salmon (<i>Oncorhynchus keta</i>), coho salmon (<i>Oncorhynchus kisutch</i>), Masou salmon (<i>Oncorhynchus masou</i>), rainbow trout (<i>Oncorhynchus mykiss</i>), sockeye salmon (<i>Oncorhynchus nerka</i>), pink salmon (<i>Oncorhynchus rhodurus</i>), chinook salmon (<i>Oncorhynchus tshawytscha</i>), Atlantic salmon (<i>Salmo salar</i>), lake trout (<i>Salvelinus namaycush</i>), marble trout (<i>Salmo marmoratus</i>), brook trout (<i>Salvelinus fontinalis</i>), arctic charr (<i>Salvelinus alpinus</i>), whitespotted charr (<i>Salvelinus leucomaenis</i>)	Beluga (<i>Huso huso</i>), Danube sturgeon (<i>Acipenser gueldenstaedtii</i>), sterlet sturgeon (<i>Acipenser ruthenus</i>), starry sturgeon (<i>Acipenser stellatus</i>), sturgeon (<i>Acipenser sturio</i>), Siberian sturgeon (<i>Acipenser Baerii</i>), bighead carp (<i>Aristichthys nobilis</i>), goldfish (<i>Carassius auratus</i>), crucian carp (<i>Carassius carassius</i>), common carp and koi carp (<i>Cyprinus carpio</i>), silver carp (<i>Hypophthalmichthys molitrix</i>), chub (<i>Leuciscus</i> spp.), roach (<i>Rutilus rutilus</i>), rudd (<i>Scardinius erythrophthalmus</i>), tench (<i>Tinca tinca</i>), North African catfish (<i>Clarias gariepinus</i>), catfish (<i>Ictalurus</i> spp.), black bullhead (<i>Ameiurus melas</i>), channel catfish (<i>Ictalurus punctatus</i>), pangas catfish (<i>Pangasius pangasius</i>), pike perch (<i>Sander lucio-perca</i>), wels catfish (<i>Silurus glanis</i>), Atlantic halibut (<i>Hippoglossus hippoglossus</i>), flounder (<i>Platichthys flesus</i>), Atlantic cod (<i>Gadus morhua</i>), haddock (<i>Melanogrammus aeglefinus</i>), noble crayfish (<i>Astacus astacus</i>), signal crayfish (<i>Pacifastacus leniusculus</i>), redswamp crayfish (<i>Procambarus clarkii</i>)
Anemia Infektive e Salmonideve	Infection with HPR-deleted infectious salmon anaemia virus	C+D+E	Rainbow trout (<i>Oncorhynchus mykiss</i>), Atlantic salmon (<i>Salmo salar</i>), brown and sea trout (<i>Salmo trutta</i>)	
Hepersviroza e Koi	Koi herpes virus disease	E	Common carp and koi carp (<i>Cyprinus carpio</i>)	Goldfish (<i>Carassius auratus</i>), grass carp (<i>Ctenopharyngodon idella</i>)
Mikrocitoza	Infection with Mikrocytos mackini	A+D+E	Pacific oyster (<i>Crassostrea gigas</i>), eastern oyster (<i>Crassostrea virginica</i>), Olympia flat oyster (<i>Ostrea conchaphila</i>), European flat oyster (<i>Ostrea edulis</i>)	

Infeksioni nga <i>Perkinsus marinus</i>	Infection with <i>Perkinsus marinus</i>	A+D+E	Pacific oyster (<i>Crassostrea gigas</i>), eastern oyster (<i>Crassostrea virginica</i>)	European lobster (<i>Homarus gammarus</i>), marine crabs (<i>Brachyura</i> spp.), Yabi crayfish (<i>Cherax destructor</i>), giant river prawn (<i>Macrobrachium rosenbergii</i>), spiny lobsters (<i>Palinurus</i> spp.), swimming crab (<i>Portunus puber</i>), Indopacific swamp crab (<i>Scylla serrata</i>), Indian white prawn (<i>Penaeus indicus</i>), kuruma prawn (<i>Penaeus japonicus</i>), caramote prawn (<i>Penaeus kerathurus</i>), blue shrimp (<i>Penaeus stylirostris</i>), whiteleg shrimp (<i>Penaeus vannamei</i>)
Infeksioni i <i>Bonamia exitiosa</i>	Infection with <i>Bonamia exitiosa</i>	C+D+E	Australian mud oyster (<i>Ostrea angasi</i>), Chilean flat oyster (<i>Ostrea chilensis</i>), European flat oyster (<i>Ostrea edulis</i>)	Portuguese oyster (<i>Crassostrea angulata</i>), Pacific cupped oyster (<i>Crassostrea gigas</i>), eastern oyster (<i>Crassostrea virginica</i>)
Infeksioni i <i>Bonamia ostreae</i>	Infection with <i>Bonamia ostreae</i>	C+D+E	Australian mud oyster (<i>Ostrea angasi</i>), Chilean flat oyster (<i>Ostrea chilensis</i>), Olympia flat oyster (<i>Ostrea conchaphila</i>), Asian oyster (<i>Ostrea denselammellosa</i>), European flat oyster (<i>Ostrea edulis</i>), Argentinian oyster (<i>Ostrea puelchana</i>)	Common edible cockle (<i>Cerastoderma edule</i>), wedge shell (<i>Donax trunculus</i>), sand gaper (<i>Mya arenaria</i>), northern quahog (<i>Mercenaria mercenaria</i>), Japanese hard clam (<i>Meretrix lusoria</i>), grooved carpet shell (<i>Ruditapes decussatus</i>), Japanese carpet shell (<i>Ruditapes philippinarum</i>), European aurora venus clam (<i>Venerupis aurea</i>), pullet carpet shell (<i>Venerupis pullastra</i>), warty venus (<i>Venus verrucosa</i>), Great Atlantic scallop (<i>Pecten maximus</i>)
Infeksioni i <i>Marteilia refringens</i>	Infection with <i>Marteilia refringens</i>	C+D+E	Australian mud oyster (<i>Ostrea angasi</i>), Chilean flat oyster (<i>Ostrea chilensis</i>), European flat oyster (<i>Ostrea edulis</i>), Argentinian oyster (<i>Ostrea puelchana</i>)	Common edible cockle (<i>Cerastoderma edule</i>), wedge shell (<i>Donax trunculus</i>), sand gaper (<i>Mya arenaria</i>), northern quahog (<i>Mercenaria mercenaria</i>), Japanese hard clam (<i>Meretrix lusoria</i>), grooved carpet shell (<i>Ruditapes decussatus</i>), Japanese carpet shell (<i>Ruditapes philippinarum</i>), European aurora venus clam (<i>Venerupis aurea</i>), pullet carpet shell (<i>Venerupis pullastra</i>), warty venus (<i>Venus verrucosa</i>)

Sindromi Taura	Infection with Taurasynndrome virus	A+D+E	Gulf white shrimp (<i>Penaeus setiferus</i>), Pacific blue shrimp (<i>Penaeus stylirostris</i>), Pacific white shrimp (<i>Penaeus vannamei</i>)	Penshells (<i>Atrina</i> spp.), common whelk (<i>Buccinum undatum</i>), Portuguese oyster (<i>Crassostrea angulata</i>), common edible cockle (<i>Cerastoderma edule</i>), Pacific cupped oyster (<i>Crassostrea gigas</i>), eastern oyster (<i>Crassostrea virginica</i>), wedge shell (<i>Donax trunculus</i>), Ezo abalone (<i>Haliotis discus hannai</i>), tuberculate abalone (<i>Haliotis tuberculata</i>), periwinkles (<i>Littorina littorea</i>), northern quahog (<i>Mercenaria mercenaria</i>), Japanese hard clam (<i>Meretrix lusoria</i>), sand gaper (<i>Mya arenaria</i>), blue mussel (<i>Mytilus edulis</i>), Mediterranean mussel (<i>Mytilus galloprovincialis</i>), octopus (<i>Octopus vulgaris</i>), European flat oyster (<i>Ostrea edulis</i>), Great Atlantic scallop (<i>Pecten maximus</i>), grooved carpet shell (<i>Ruditapes decussatus</i>), Japanese carpet shell (<i>Ruditapes philippinarum</i>), common cuttlefish (<i>Sepia officinalis</i>), stromboid conchs (<i>Strombus</i> spp.), European aurora venus clam (<i>Venerupis aurea</i>), pullet carpet shell (<i>Venerupis pullastra</i>), warty venus (<i>Venus verrucosa</i>), European lobster (<i>Homarus gammarus</i>), marine crabs (<i>Brachyura</i> spp.), Yabi crayfish (<i>Cherax destructor</i>), giant river prawn (<i>Macrobrachium rosenbergii</i>), spiny lobsters (<i>Palinurus</i> spp), swimming crab (<i>Portunus puber</i>), Indopacific swamp crab (<i>Scylla serrata</i>), Indian white prawn (<i>Penaeus indicus</i>), kuruma prawn (<i>Penaeus japonicus</i>), caramote prawn (<i>Penaeus kerathurus</i>)
----------------	-------------------------------------	-------	---	---

Sëmundja e kokës së verdhë	Infection with yellow head virus	A+D+E	Gulf brown shrimp (<i>Penaeus aztecus</i>), Gulf pink shrimp (<i>Penaeus duorarum</i>), kuruma prawn (<i>Penaeus japonicus</i>), black tiger shrimp (<i>Penaeus monodon</i>), Gulf white shrimp (<i>Penaeus setiferus</i>), Pacific blueshrimp (<i>Penaeus stylirostris</i>), Pa-cific white shrimp (<i>Penaeus vannamei</i>)	Penshells (<i>Atrina</i> spp.), common whelk (<i>Buccinum undatum</i>), Portuguese oyster (<i>Crassostrea angulata</i>), common ed-ible cockle (<i>Cerastoderma edule</i>), Pacific cupped oyster (<i>Crassostrea gigas</i>), eastern oyster (<i>Crassostrea virginica</i>), wedge shell (<i>Donax trunculus</i>), Ezo abalone (<i>Haliotis discus hannai</i>), tuberculate abalone (<i>Haliotis tuberculata</i>), periwinkles (<i>Littorina littorea</i>), northern quahog (<i>Mercentaria mercenaria</i>), Japanese hard clam (<i>Meretrix lusoria</i>), sand gaper (<i>Mya arenaria</i>), blue mussel (<i>Mytilus edulis</i>), Mediterranean mussel (<i>Mytilus galloprovincialis</i>), octopus (<i>Octopus vulgaris</i>), European flat oyster (<i>Ostrea edulis</i>), Great Atlantic scallop (<i>Pecten maximus</i>), grooved carpet shell (<i>Ruditapes decussatus</i>), Japanese carpet shell (<i>Ruditapes philippinarum</i>), common cuttlefish (<i>Sepia officinalis</i>), stromboid conchs (<i>Strombus</i> spp.), European aurora venus clam (<i>Venerupis aurea</i>), pullet carpet shell (<i>Venerupis pullastra</i>), warty venus (<i>Venus verrucosa</i>)
Sëmundja e njollave të bardha	Infection with white spots syndrome virus	C+D+E	Të gjithë krustacet dekapodë (order Decapoda)	Penshells (<i>Atrina</i> spp.), common whelk (<i>Buccinum undatum</i>), Portuguese oyster (<i>Crassostrea angulata</i>), common ed-ible cockle (<i>Cerastoderma edule</i>), Pacific cupped oyster (<i>Crassostrea gigas</i>), eastern oyster (<i>Crassostrea virginica</i>), wedge shell (<i>Donax trunculus</i>), Ezo abalone (<i>Haliotis discus hannai</i>), tuberculate abalone (<i>Haliotis tuberculata</i>), periwinkles (<i>Littorina littorea</i>), northern quahog (<i>Mercentaria mercenaria</i>), Japanese hard clam (<i>Meretrix lusoria</i>), sand gaper (<i>Mya arenaria</i>), blue mussel (<i>Mytilus edulis</i>), Mediterranean mussel (<i>Mytilus galloprovincialis</i>), octopus (<i>Octopus vulgaris</i>), European flat oyster (<i>Ostrea edulis</i>), Great Atlantic scallop (<i>Pecten maximus</i>), grooved carpet shell (<i>Ruditapes decussatus</i>), Japanese carpet shell (<i>Ruditapes philippinarum</i>), common cuttlefish (<i>Sepia officinalis</i>), stromboid conchs (<i>Strombus</i> spp.), European aurora venus clam (<i>Venerupis aurea</i>), pullet carpet shell (<i>Venerupis pullastra</i>), warty venus (<i>Venus verrucosa</i>)